




RESERVED

NO SMOKING



# Shrinath Metal Product catalogue



UNIT NO. 24 TO 29 NAHAR PAREKH INDL. EST.-2  
VADKUN COLLEGE ROAD, DAHANU ROAD (W)  
MAHARASHTRA. INDIA

TEL: 95-2528-221917

WEBSITE : [www.shrinathmetal.com](http://www.shrinathmetal.com)





SR # 1	UTILITY TONG DESCRIPTION	WT/ PC	THICKNESS
A	UTILITY TONG 7"	0.035	0.5 MM
B	UTILITY TONG 9"	0.058	0.5 MM
C	UTILITY TONG 12"	0.074	0.5 MM
D	UTILITY TONG 16"	0.094	0.5 MM
E	UTILITY TONG 9"	0.095	0.7 MM
F	UTILITY TONG 12"	0.115	0.7 MM
G	UTILITY TONG 16"	0.145	0.7 MM
H	UTILITY TONG 7"	0.064	0.9 MM
I	UTILITY TONG 9"	0.115	0.9 MM
J	UTILITY TONG 12"	0.145	0.9 MM
K	UTILITY TONG 16"	0.185	0.9 MM
L	UTILITY TONG 9"	0.145	1.2 MM
M	UTILITY TONG 12"	0.185	1.2 MM
N	UTILITY TONG 16"	0.227	1.2 MM



SR # 2	ONE PC TONG DESCRIPTION	WT/ PC	THICKNESS
A	ONE PC TONG 7"	0.057	0.9 MM
B	ONE PC TONG 9"	0.085	0.9 MM
C	ONE PC TONG 12"	0.114	0.9 MM





**SR # 3**

**RUBBER GRIP TONG**


	<i>DESCRIPTION</i>	<i>WT/ PC</i>	<i>THICKNESS</i>
<i>A</i>	<i>UTILITY TONG RUBBER GRIP &amp; CLIP 9"</i>	<i>0.100</i>	<i>0.7 MM</i>
<i>B</i>	<i>UTILITY TONG RUBBER GRIP &amp; CLIP 12"</i>	<i>0.125</i>	<i>0.7 MM</i>
<i>C</i>	<i>UTILITY TONG RUBBER GRIP &amp; CLIP 16"</i>	<i>0.160</i>	<i>0.7 MM</i>



**SR # 4**

**JUMBO ONE PC TONG**

	<i>DESCRIPTION</i>	<i>WT/ PC</i>	<i>THICKNESS</i>
<i>A</i>	<i>JUMBO ONE PC TONG 9"</i>	<i>0.170</i>	<i>1.2 MM</i>
<i>B</i>	<i>JUMBO ONE PC TONG 12"</i>	<i>0.176</i>	<i>1.2 MM</i>
<i>C</i>	<i>JUMBO ONE PC TONG 16"</i>	<i>0.270</i>	<i>1.2 MM</i>



**SR # 5**

**POM TONG**

	<i>DESCRIPTION</i>	<i>WT/ PC</i>	<i>THICKNESS</i>
<i>A</i>	<i>POM TONG 6"</i>	<i>0.030</i>	<i>0.7 MM</i>
<i>B</i>	<i>POM TONG 9"</i>	<i>0.045</i>	<i>0.7 MM</i>
<i>C</i>	<i>POM TONG 12"</i>	<i>0.060</i>	<i>0.7 MM</i>
<i>D</i>	<i>POM TONG 6"</i>	<i>0.038</i>	<i>0.9 MM</i>
<i>E</i>	<i>POM TONG 9"</i>	<i>0.058</i>	<i>0.9 MM</i>
<i>F</i>	<i>POM TONG 12"</i>	<i>0.078</i>	<i>0.9 MM</i>





SR # 6	COLOUR CODED TONG		
	DESCRIPTION	WT/ PC	THICKNESS
A	COLOUR CODED TONG 9"-BLACK	0.140	0.9 MM
B	COLOUR CODED TONG 9"-BLUE	0.140	0.9 MM
C	COLOUR CODED TONG 9"-BROWN	0.140	0.9 MM
E	COLOUR CODED TONG 9"-GREEN	0.140	0.9 MM
F	COLOUR CODED TONG 9"-RED	0.140	0.9 MM
G	COLOUR CODED TONG 9"-WHITE	0.140	0.9 MM
H	COLOUR CODED TONG 9"-YELLOW	0.140	0.9 MM
I	COLOUR CODED TONG 12"-BLACK	0.165	0.9 MM
J	COLOUR CODED TONG 12"-BLUE	0.165	0.9 MM
K	COLOUR CODED TONG 12"-BROWN	0.165	0.9 MM
L	COLOUR CODED TONG 12"-GREEN	0.165	0.9 MM
M	COLOUR CODED TONG 12"-RED	0.165	0.9 MM
N	COLOUR CODED TONG 12"-WHITE	0.165	0.9 MM
O	COLOUR CODED TONG 12"-YELLOW	0.165	0.9 MM
P	COLOUR CODED TONG 16"-BLACK	0.190	0.9 MM
Q	COLOUR CODED TONG 16"-BLUE	0.190	0.9 MM
R	COLOUR CODED TONG 16"-BROWN	0.190	0.9 MM
S	COLOUR CODED TONG 16"-GREEN	0.190	0.9 MM
T	COLOUR CODED TONG 16"-RED	0.190	0.9 MM
U	COLOUR CODED TONG 16"-WHITE	0.190	0.9 MM
V	COLOUR CODED TONG 16"-YELLOW	0.190	0.9 MM





SR # 7

**SPAGHETTI TONG**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>SPAGHETTI TONG</b>	<b>0.068</b>	<b>0.9 MM</b>
<b>B</b>	<b>SPAGHETTI TONG 18/8</b>	<b>0.068</b>	<b>0.9 MM</b>



SR # 8

**PASTRY TONG**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>PASTRY TONG</b>	<b>0.062</b>	<b>0.9 MM</b>
<b>B</b>	<b>PASTRY TONG 18/8</b>	<b>0.062</b>	<b>0.9 MM</b>



SR # 9

**SALAD TONG**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>SALAD TONG (SAHEEN)</b>	<b>0.126</b>	<b>1.5 MM</b>





SR # 10

**SPIRAL TONG**

**DESCRIPTION**

**WT/ PC**

**A**


**SPIRAL TONG 30 CM**

**0.140**

**B**

**SPIRAL TONG 39 CM**

**0.160**



SR # 11

**SCISSOR TONG**

**DESCRIPTION**

**WT/ PC**

**THICKNESS**

**A**

**SCISSOR TONG-PLAIN**

**0.076**

**1.5 MM**

**B**

**SCISSOR TONG-SLOTTED**

**0.073**

**1.5 MM**



SR # 12

**DELUXE SCISSOR TONG**

**DESCRIPTION**

**WT/ PC**

**THICKNESS**

**A**

**DELUXE SCISSOR TONG**

**0.064**

**0.9 MM**



Shrinath Metal



SR # 13

**OVAL TONG**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>OVAL TONG</b>	<b>0.047</b>	<b>0.9 MM</b>
<b>B</b>	<b>OVAL TONG</b>	<b>0.052</b>	<b>0.9 MM</b>
<b>C</b>	<b>OVAL TONG</b>	<b>0.054</b>	<b>0.9 MM</b>



SR # 14

**PROFFI SERIE TONG**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>PROFFI SERIE TONG</b>	<b>0.090</b>	<b>0.9 MM</b>
<b>B</b>	<b>PROFFI SERIE TONG</b>	<b>0.098</b>	<b>0.9 MM</b>



SR # 15

**GRILL TONG**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>GRILL TONG 38 CM</b>	<b>0.180</b>	<b>2.0 MM</b>
<b>B</b>	<b>GRILL TONG 42 CM</b>	<b>0.200</b>	<b>2.0 MM</b>





SR # 16

**STEAK TONG**

**DESCRIPTION**

**WT/ PC**

**SIZE**

A

**STEAK TONG**

**0.310**

**38 CM**



SR # 17

**OLIVE CHERRY TONG**

**DESCRIPTION**

**WT/PC**

**THICKNESS**

A

**OLIVE CHERRY TONG**

**0.041**

**1.5 MM**



SR # 18

**ICE TONG**

**DESCRIPTION**

**WT/PC**

**THICKNESS**

A

**ICE TONG**

**0.048**

**0.9 MM**



SR # 19

**ROASTING TONG**

**DESCRIPTION**

**WT/PC**

**THICKNESS**

A

**ROASTING TONG**

**0.080**

**0.9 MM**



Shrinath Metal





**SR # 20**


**WIRE TONG**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>WIRE TONG 20 CM</b>	<b>0.100</b>	<b>4.5 MM</b>
<b>B</b>	<b>WIRE TONG 25 CM</b>	<b>0.121</b>	<b>4.5 MM</b>
<b>C</b>	<b>WIRE TONG 30 CM</b>	<b>0.132</b>	<b>4.5 MM</b>
<b>D</b>	<b>WIRE TONG 38 CM</b>	<b>0.165</b>	<b>4.5 MM</b>
<b>E</b>	<b>WIRE TONG WITH BLADE 12"</b>	<b>0.140</b>	<b>4.5 MM</b>
<b>F</b>	<b>WIRE TONG WITH BLADE 16"</b>	<b>0.180</b>	<b>4.5 MM</b>



**SR # 21 WIRE TONG WITH PVC SLIVES**


	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>WIRE TONG 20 CM PVC</b>	<b>0.100</b>	<b>4.5 MM</b>
<b>B</b>	<b>WIRE TONG 25 CM PVC</b>	<b>0.121</b>	<b>4.5 MM</b>
<b>C</b>	<b>WIRE TONG 30 CM PVC</b>	<b>0.132</b>	<b>4.5 MM</b>
<b>D</b>	<b>WIRE TONG 38 CM PVC</b>	<b>0.165</b>	<b>4.5 MM</b>



**SR # 22**

**WIRE GLASS RACK**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>DOUBLE WIRE GLASS RACK</b>	<b>1.300</b>	<b>6.0 MM</b>



**SR # 23**


**WIRE GLASS HANGER**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>WIRE GLASS HANGER 10"</b>	<b>0.180</b>	<b>6.0 MM</b>
<b>B</b>	<b>WIRE GLASS HANGER 16"</b>	<b>0.270</b>	<b>6.0 MM</b>
<b>C</b>	<b>WIRE GLASS HANGER 24"</b>	<b>0.370</b>	<b>6.0 MM</b>





SR # 24	8 WIRE PIANO WHISK DESCRIPTION	WT/ PC	THICKNESS
A	8 WIRE PIANO WHISK - 25 CM	0.125	1.8 MM (WIRE) PIPE DIA 1" PIPE TH 0.9 MM
B	8 WIRE PIANO WHISK - 30 CM	0.145	"
C	8 WIRE PIANO WHISK - 35 CM	0.165	"
D	8 WIRE PIANO WHISK - 40 CM	0.185	"
E	8 WIRE PIANO WHISK - 45 CM	0.205	"
F	8 WIRE PIANO WHISK - 50 CM	0.230	"
G	8 WIRE PIANO WHISK - 55 CM	0.255	"
H	8 WIRE PIANO WHISK - 60 CM	0.285	"




SR # 25	8 WIRE FRENCH WHISK DESCRIPTION	WT/ PC	THICKNESS
A	8 WIRE FRENCH WHISK - 25 CM	0.125	1.8 MM (WIRE) PIPE DIA 1" PIPE TH 0.9 MM
B	8 WIRE FRENCH WHISK - 30 CM	0.145	"
C	8 WIRE FRENCH WHISK - 35 CM	0.165	"
D	8 WIRE FRENCH WHISK - 40 CM	0.185	"
E	8 WIRE FRENCH WHISK - 45 CM	0.205	"
F	8 WIRE FRENCH WHISK - 50 CM	0.230	"
G	8 WIRE FRENCH WHISK - 55 CM	0.255	"
H	8 WIRE FRENCH WHISK - 60 CM	0.285	"





SR #	DESCRIPTION	WT/ PC	THICKNESS
26	<b>12 WIRE PIANO WHISK</b>		
	<b>DESCRIPTION</b>		
A	12 WIRE PIANO WHISK - 25 CM	0.145	1.6 MM (WIRE) PIPE DIA 1" PIPE TH 0.9 MM
B	12 WIRE PIANO WHISK - 30 CM	0.170	"
C	12 WIRE PIANO WHISK - 35 CM	0.192	"
D	12 WIRE PIANO WHISK - 40 CM	0.215	"
E	12 WIRE PIANO WHISK - 45 CM	0.245	"



SR #	DESCRIPTION	WT/ PC	THICKNESS
27	<b>12 WIRE FRENCH WHISK</b>		
	<b>DESCRIPTION</b>		
A	12 WIRE FRENCH WHISK - 25 CM	0.145	1.6 MM (WIRE) PIPE DIA 1" PIPE TH 0.9 MM
B	12 WIRE FRENCH WHISK - 30 CM	0.170	"
C	12 WIRE FRENCH WHISK - 35 CM	0.192	"
D	12 WIRE FRENCH WHISK - 40 CM	0.215	"
E	12 WIRE FRENCH WHISK - 45 CM	0.245	"




SR #	DESCRIPTION	WT/ PC	THICKNESS
28	<b>LONG HANDLE WHISK</b>		
	<b>DESCRIPTION</b>		
A	8 WIRE HEAVY DUTY PIANO WHISK - 60 CM	0.450	3.0 MM (WIRE) PIPE DIA 1" PIPE TH 0.4 MM
B	8 WIRE HEAVY DUTY PIANO WHISK - 70 CM	0.475	"
C	8 WIRE HEAVY DUTY PIANO WHISK - 80 CM	0.500	"
D	8 WIRE HEAVY DUTY PIANO WHISK - 100 CM	0.550	"
E	8 WIRE HEAVY DUTY PIANO WHISK - 125 CM	0.608	"
F	8 WIRE HEAVY DUTY PIANO WHISK - 150 CM	0.640	"







SR # 29	POTATO MASHER DESCRIPTION	WT/ PC	SIZE
A	POTATO MASHER ROUND	0.580	25.5"
B	POTATO MASHER SQUARE	0.750	30"



SR # 30	WIRE SKIMMER DESCRIPTION	WT/ PC
A	WIRE SKIMMER 16CM DIA	0.410
B	WIRE SKIMMER 18CM DIA	0.450
C	WIRE SKIMMER 20CM DIA	0.490
D	WIRE SKIMMER 24CM DIA	0.550



SR # 31	SPIRAL SKIMMER DESCRIPTION	WT/ PC
A	SPIRAL SKIMMER -308 MM (140MM DIA)	0.270
B	SPIRAL SKIMMER -308 MM (160MM DIA)	0.340
C	SPIRAL SKIMMER -325 MM (180MM DIA)	0.380
D	SPIRAL SKIMMER -325 MM (200MM DIA)	0.410
E	SPIRAL SKIMMER -325 MM (240 MM DIA)	0.470






SR #	DESCRIPTION	WT/ PC	THICKNESS
SR # 32	<b>FLAT TABLE NUMBER</b>		
A	FLAT TABLE NUMBER ( SIZE = 70 X 60 )	0.024	0.9 MM
B	FLAT TABLE NUMBER ( SIZE = 50 X 60 )	0.020	0.9 MM



SR #	DESCRIPTION	WT/ PC	THICKNESS
SR # 33	<b>"A" TABLE NUMBER</b>		
A	TABLE NUMBER "A" FRAME	0.024	0.9 MM



SR #	DESCRIPTION	WT/ PC	THICKNESS
SR # 34	<b>WALL SIGN</b>		
A	WALL SIGN ( SIZE = 130 X 130 )	0.060	0.9 MM
B	WALL SIGN ( SIZE = 120 X 80 )	0.041	0.9 MM
C	WALL SIGN ( SIZE = 110 X 60 )	0.030	0.9 MM



SR #	DESCRIPTION	WT/PC	THICKNESS
SR # 35	<b>DOOR SIGN/TABLE SIGN</b>		
A	DOOR SIGN - OPEN- 130 MM DIA		
B	DOOR SIGN - CLOSED- 130 MM DIA		
C	SIGN - RESERVE SIGN	0.069	0.8 MM
D	SIGN - NO SMOKING SIGN	0.069	0.8 MM





SR # 36	MENU CARD WITH STAND		
	DESCRIPTION	WT/ PC	SIZE
A	MENU CARD WITH STAND 10 CM	0.190	10 CM
B	MENU CARD WITH STAND 20 CM	0.235	20 CM
C	MENU CARD WITH STAND 45 CM	0.300	45 CM



SR # 37	SPATULA		
	DESCRIPTION	WT/ PC	THICKNESS
A	SPATULA WITH PVC	0.090	0.9 MM



SR # 38	TONIC STAMPER		
	DESCRIPTION	WT/ PC	SIZE
A	TONIC STAMPER - RED	0.015	7"
B	TONIC STAMPER - BLUE	0.015	7"
C	TONIC STAMPER - GREEN	0.015	7"
D	TONIC STAMPER - YELLOW	0.015	7"
E	TONIC STAMPER - WHITE	0.015	7"





SR # 39

**STRAW HOLDER**

**DESCRIPTION**

**WT/ PC**

<b>A</b>	<b>STRAW HOLDER- 10 CM (I.D. 31 MM)</b>	<b>0.125</b>
<b>B</b>	<b>STRAW HOLDER- 10 CM (I.D. 50 MM)</b>	<b>0.195</b>
<b>C</b>	<b>STRAW HOLDER- 18 CM (I.D. 75 MM)</b>	<b>0.350</b>



SR # 40

**MENU CLIP**

**DESCRIPTION**

**WT/ PC**

**THICKNESS**

<b>A</b>	<b>MENU CLIP (STRIP)</b>	<b>0.019</b>	<b>0.7 MM</b>
<b>B</b>	<b>MENU CLIP (RING)</b>	<b>0.023</b>	<b>0.7 MM</b>



SR # 41

**WIRE TYPE MENU CLIP**

**DESCRIPTION**

**WT/PC**

<b>A</b>	<b>WIRE TYPE MENU CLIP</b>	<b>0.017</b>
----------	----------------------------	--------------



SR # 42


**CARD HOLDER**

**DESCRIPTION**

**WT/ PC**

**THICKNESS**

<b>A</b>	<b>FLAT MENU CARD HOLDER</b>	<b>0.100</b>	<b>0.9 MM</b>
<b>B</b>	<b>MENU CARD HOLDER</b>	<b>0.037</b>	<b>0.9 MM</b>





SR # 43	NAPKIN DISPENSER		
	DESCRIPTION	WT/ PC	THICKNESS
A	NAPKIN DISPENSER - SMALL	0.315	0.7 MM
B	NAPKIN DISPENSER- LARGE	0.416	0.7 MM
C	NAPKIN DISPENSER - SMALL- BLACK ( M. S.)	0.311	0.7 MM
D	NAPKIN DISPENSER - LARGE- BLACK ( M. S. )	0.490	0.7 MM



SR # 44	GRAVY BOAT		
	DESCRIPTION	WT/ PC	THICKNESS
A	GRAVY BOAT 3 OZ	0.070	0.7 MM
B	GRAVY BOAT 5 OZ	0.100	0.7 MM
C	GRAVY BOAT 8 OZ	0.130	0.7 MM
D	GRAVY BOAT 10 OZ	0.180	0.7 MM
E	GRAVY BOAT 16 OZ	0.240	0.7 MM



SR # 45	ICE CREAM SPADE		
	DESCRIPTION	WT/PC	THICKNESS
A	ICE CREAM SPADE	0.060	1.2 MM







SR #	DESCRIPTION	WT/PC	THICKNESS
46	FISH LIFTER		
A	FISH LIFTER	0.130	1.2 MM



SR #	DESCRIPTION	WT/PC	THICKNESS
47	NAPKIN RING		
A	NAPKIN RING	0.021	0.9 MM



SR #	DESCRIPTION	WT/PC	THICKNESS
48	TABLE CLOTH CLIP		
A	TABLE CLOTH CLIP	0.012	0.8 MM



SR #	DESCRIPTION	WT/ PC	THICKNESS
A	SKIMMER REGULAR SMALL	0.151	DIA 5" 2.0 MM PATTI
B	SKIMMER 18/8 SMALL	0.166	"
C	SKIMMER REGULAR LARGE	0.191	DIA 6" 2.0 MM PATTI
D	SKIMMER 18/8 LARGE	0.195	"





## SR # 50

**BASTING SPOON LIGHT**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
A	BASTING SPOON SOLID 11"	0.067	0.9 MM
B	BASTING SPOON SOLID 13"	0.075	0.9 MM
C	BASTING SPOON SOLID 15"	0.088	0.9 MM
D	BASTING SPOON SOLID 18"	0.107	0.9 MM
E	BASTING SPOON PERF. 11"	0.062	0.9 MM
F	BASTING SPOON PERF. 13"	0.077	0.9 MM
G	BASTING SPOON PERF. 15"	0.087	0.9 MM
H	BASTING SPOON PERF. 18"	0.103	0.9 MM
I	BASTING SPOON SLOTTED 11"	0.063	0.9 MM
J	BASTING SPOON SLOTTED 13"	0.073	0.9 MM
K	BASTING SPOON SLOTTED 15"	0.079	0.9 MM
L	BASTING SPOON SLOTTED 18"	0.099	0.9 MM



## SR # 51

**BASTING SPOON HEAVY**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
A	BASTING SPOON SOLID 11"	0.088	1.2 MM
B	BASTING SPOON SOLID 13"	0.100	1.2 MM
C	BASTING SPOON SOLID 15"	0.105	1.2 MM
D	BASTING SPOON SOLID 18"	0.130	1.2 MM
E	BASTING SPOON SOLID 21"	0.150	1.2 MM
F	BASTING SPOON PERF. 11"	0.084	1.2 MM
G	BASTING SPOON PERF. 13"	0.097	1.2 MM
H	BASTING SPOON PERF. 15"	0.109	1.2 MM
I	BASTING SPOON PERF. 18"	0.139	1.2 MM
J	BASTING SPOON PERF. 21"	0.148	1.2 MM
K	BASTING SPOON SLOTTED 11"	0.083	1.2 MM
L	BASTING SPOON SLOTTED 13"	0.091	1.2 MM
M	BASTING SPOON SLOTTED 15"	0.102	1.2 MM
N	BASTING SPOON SLOTTED 18"	0.130	1.2 MM
O	BASTING SPOON SLOTTED 21"	0.146	1.2 MM





SR # 52	<i>P/H BASTING SPOON</i>		
	<i>DESCRIPTION</i>	<i>WT/ PC</i>	<i>THICKNESS</i>
A	<i>P/H BASTING SPOON SOLID 11"</i>	<i>0.085</i>	<i>1.2 MM</i>
B	<i>P/H BASTING SPOON SOLID 13"</i>	<i>0.098</i>	<i>1.2 MM</i>
C	<i>P/H BASTING SPOON SOLID 15"</i>	<i>0.102</i>	<i>1.2 MM</i>
D	<i>P/H BASTING SPOON PERF. 11"</i>	<i>0.083</i>	<i>1.2 MM</i>
E	<i>P/H BASTING SPOON PERF. 13"</i>	<i>0.097</i>	<i>1.2 MM</i>
F	<i>P/H BASTING SPOON PERF. 15"</i>	<i>0.097</i>	<i>1.2 MM</i>
G	<i>P/H BASTING SPOON SLOTTED 11"</i>	<i>0.081</i>	<i>1.2 MM</i>
H	<i>P/H BASTING SPOON SLOTTED 13"</i>	<i>0.094</i>	<i>1.2 MM</i>
I	<i>P/H BASTING SPOON SLOTTED 15"</i>	<i>0.096</i>	<i>1.2 MM</i>



SR # 53	<i>T/E BASTING SPOON</i>		
	<i>DESCRIPTION</i>	<i>WT/ PC</i>	<i>THICKNESS</i>
A	<i>T/E BASTING SPOON SOLID 13"</i>	<i>0.104</i>	<i>1.2 MM</i>
B	<i>T/E BASTING SPOON PERF. 13"</i>	<i>0.100</i>	<i>1.2 MM</i>



SR # 54	<i>TURNER</i>		
	<i>DESCRIPTION</i>	<i>WT/ PC</i>	<i>THICKNESS</i>
A	<i>TURNER SOLID</i>	<i>0.095</i>	<i>0.5MM [ BLADE ]</i>
B	<i>TURNER SLOTTED</i>	<i>0.090</i>	<i>0.5MM [ BLADE ]</i>





SR # 55

**OVAL BOWL LADDLE**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>OVAL BOWL LADDLE 8 OZ 18/8</b>	<b>0.157</b>	<b>0.9 MM</b>



SR # 56

**ECONOMY ONE PC LADDLE**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>ECONOMY ONE PC LADDLE 1/2 OZ</b>	<b>0.054</b>	<b>0.9 MM</b>
<b>B</b>	<b>ECONOMY ONE PC LADDLE 1 OZ</b>	<b>0.059</b>	<b>0.9 MM</b>
<b>C</b>	<b>ECONOMY ONE PC LADDLE 2 OZ</b>	<b>0.079</b>	<b>0.9 MM</b>
<b>D</b>	<b>ECONOMY ONE PC LADDLE 3 OZ</b>	<b>0.096</b>	<b>0.9 MM</b>
<b>E</b>	<b>ECONOMY ONE PC LADDLE 4 OZ</b>	<b>0.123</b>	<b>0.9 MM</b>
<b>F</b>	<b>ECONOMY ONE PC LADDLE 5 OZ</b>	<b>0.130</b>	<b>0.9 MM</b>
<b>G</b>	<b>ECONOMY ONE PC LADDLE 6 OZ</b>	<b>0.139</b>	<b>0.9 MM</b>
<b>H</b>	<b>ECONOMY ONE PC LADDLE 7 OZ</b>	<b>0.140</b>	<b>0.9 MM</b>
<b>I</b>	<b>ECONOMY ONE PC LADDLE 8 OZ</b>	<b>0.162</b>	<b>0.9 MM</b>
<b>J</b>	<b>ECONOMY ONE PC LADDLE 10 OZ</b>	<b>0.169</b>	<b>0.9 MM</b>
<b>K</b>	<b>ECONOMY ONE PC LADDLE 12 OZ</b>	<b>0.202</b>	<b>0.9 MM</b>
<b>L</b>	<b>ECONOMY ONE PC LADDLE 16 OZ</b>	<b>0.210</b>	<b>0.9 MM</b>



SR # 57

**S/H ONE PC LADDLE**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>S/H ONE PC LADDLE 1/2 OZ</b>	<b>0.039</b>	<b>0.9 MM</b>
<b>B</b>	<b>S/H ONE PC LADDLE 1 OZ</b>	<b>0.052</b>	<b>0.9 MM</b>
<b>C</b>	<b>S/H ONE PC LADDLE 1-1/2 OZ</b>	<b>0.061</b>	<b>0.9 MM</b>
<b>D</b>	<b>S/H ONE PC LADDLE 2 OZ</b>	<b>0.064</b>	<b>0.9 MM</b>





**SR # 58**

**TWO PC LADDLE**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>TWO PC LADDLE 1/2 OZ</b>	<b>0.074</b>	<b>0.7 MM [ VATI ]</b>
<b>B</b>	<b>TWO PC LADDLE 1 OZ</b>	<b>0.079</b>	<b>0.7 MM [ VATI ]</b>
<b>C</b>	<b>TWO PC LADDLE 2 OZ</b>	<b>0.084</b>	<b>0.7 MM [ VATI ]</b>
<b>D</b>	<b>TWO PC LADDLE 3 OZ</b>	<b>0.102</b>	<b>0.7 MM [ VATI ]</b>
<b>E</b>	<b>TWO PC LADDLE 4 OZ</b>	<b>0.110</b>	<b>0.7 MM [ VATI ]</b>
<b>F</b>	<b>TWO PC LADDLE 5 OZ</b>	<b>0.145</b>	<b>0.7 MM [ VATI ]</b>
<b>G</b>	<b>TWO PC LADDLE 6 OZ</b>	<b>0.150</b>	<b>0.7 MM [ VATI ]</b>
<b>H</b>	<b>TWO PC LADDLE 8 OZ</b>	<b>0.160</b>	<b>0.7 MM [ VATI ]</b>
<b>I</b>	<b>TWO PC LADDLE 12 OZ</b>	<b>0.210</b>	<b>0.7 MM [ VATI ]</b>
<b>J</b>	<b>TWO PC LADDLE 16 OZ</b>	<b>0.225</b>	<b>0.7 MM [ VATI ]</b>
<b>K</b>	<b>TWO PC LADDLE 24 OZ</b>	<b>0.304</b>	<b>0.7 MM [ VATI ]</b>
<b>L</b>	<b>TWO PC LADDLE 32 OZ</b>	<b>0.325</b>	<b>0.7 MM [ VATI ]</b>



**SR # 59**

**S/H TWO PC LADDLE**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>S/H TWO PC LADDLE 1/2 OZ</b>	<b>0.051</b>	<b>0.7 MM [ VATI ]</b>
<b>B</b>	<b>S/H TWO PC LADDLE 1 OZ</b>	<b>0.052</b>	<b>0.7 MM [ VATI ]</b>
<b>C</b>	<b>S/H TWO PC LADDLE 2 OZ</b>	<b>0.069</b>	<b>0.7 MM [ VATI ]</b>
<b>D</b>	<b>S/H TWO PC LADDLE 3 OZ</b>	<b>0.072</b>	<b>0.7 MM [ VATI ]</b>
<b>E</b>	<b>S/H TWO PC LADDLE 4 OZ</b>	<b>0.077</b>	<b>0.7 MM [ VATI ]</b>
<b>F</b>	<b>S/H TWO PC LADDLE 5 OZ</b>	<b>0.088</b>	<b>0.7 MM [ VATI ]</b>





SR # 60	COLOUR CODED LADDLE		
	DESCRIPTION	WT/ PC	THICKNESS
A	COLOUR COATED LADDLE 1/2oz - GREEN	0.065	0.9 MM
B	COLOUR COATED LADDLE 1oz - BLACK	0.077	0.9 MM
C	COLOUR COATED LADDLE 2oz - BLUE	0.099	0.9 MM
D	COLOUR COATED LADDLE 3oz - IVORY	0.112	0.9 MM
E	COLOUR COATED LADDLE 4oz - GREY	0.131	0.9 MM
F	COLOUR COATED LADDLE 6oz - TEAL	0.156	0.9 MM
G	COLOUR COATED LADDLE 8oz - ORANGE	0.181	0.9 MM
H	COLOUR COATED LADDLE 12oz - RED	0.219	0.9 MM
I	COLOUR COATED LADDLE 1-1/2oz - WHITE	0.085	0.9 MM



SR # 61	PORTION CONTROLLER		
	DESCRIPTION	WT/ PC	THICKNESS
A	SOLID PORTION CONTROL 2 oz	0.092	0.9 MM
B	SOLID PORTION CONTROL 3 oz	0.108	0.9 MM
C	SOLID PORTION CONTROL 4 oz	0.117	0.9 MM
D	SOLID PORTION CONTROL 6 oz	0.139	0.9 MM
E	SOLID PORTION CONTROL 8 oz	0.154	0.9 MM
F	PERF. PORTION CONTROL 2 oz	0.090	0.9 MM
G	PERF. PORTION CONTROL 3 oz	0.105	0.9 MM
H	PERF. PORTION CONTROL 4 oz	0.114	0.9 MM
I	PERF. PORTION CONTROL 6 oz	0.137	0.9 MM
J	PERF. PORTION CONTROL 8 oz	0.149	0.9 MM





**SR # 62**

**EGG RING**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>ROUND EGG RING 3"</b>	<b>0.049</b>	<b>0.6 MM</b>
<b>B</b>	<b>ROUND EGG RING 4"</b>	<b>0.058</b>	<b>0.6 MM</b>
<b>C</b>	<b>ROUND EGG RING 5"</b>	<b>0.067</b>	<b>0.6 MM</b>
<b>D</b>	<b>ROUND EGG RING 6"</b>	<b>0.082</b>	<b>0.6 MM</b>
<b>E</b>	<b>SQUARE EGG RING 4"</b>	<b>0.073</b>	<b>0.7 MM</b>



**SR # 63**

**EGG CUP**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>EGG CUP WITH HOLE</b>	<b>0.024</b>	<b>0.7 MM</b>
<b>B</b>	<b>EGG CUP WITHOUT HOLE</b>	<b>0.026</b>	<b>0.7 MM</b>



**SR # 64**

**EGG CUP ( TRIANGLE/ROUND)**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>TRIANGULAR EGG CUP</b>	<b>0.050</b>	<b>0.7 MM</b>
<b>B</b>	<b>ROUND EGG CUP</b>	<b>0.040</b>	<b>0.7 MM</b>






**SR # 65**

**SKEWER**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>ROUND SKEWER 8"</b>	<b>0.014</b>	<b>3.2 MM</b>
<b>B</b>	<b>ROUND SKEWER 10"</b>	<b>0.018</b>	<b>3.2 MM</b>
<b>C</b>	<b>ROUND SKEWER 12"</b>	<b>0.020</b>	<b>3.2 MM</b>
<b>D</b>	<b>OVAL SKEWER 8"</b>	<b>0.015</b>	
<b>E</b>	<b>OVAL SKEWER 10"</b>	<b>0.020</b>	
<b>F</b>	<b>OVAL SKEWER 12"</b>	<b>0.023</b>	
<b>G</b>	<b>FLAT SKEWER 17"</b>	<b>0.038</b>	



**SR # 66**

**POT HOOK**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>POT HOOK SINGLE</b>	<b>0.035</b>	<b>5.0 MM</b>
<b>B</b>	<b>POT HOOK DOUBLE</b>	<b>0.074</b>	<b>6.0 MM</b>



**SR # 67**

**MEAT HOOK**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>MEAT HOOK 8 cm</b>	<b>0.018</b>	<b>4.0 MM</b>
<b>B</b>	<b>MEAT HOOK 10 cm</b>	<b>0.022</b>	<b>4.0 MM</b>
<b>C</b>	<b>MEAT HOOK 12 cm</b>	<b>0.040</b>	<b>5.0 MM</b>
<b>D</b>	<b>MEAT HOOK 14 cm</b>	<b>0.044</b>	<b>5.0 MM</b>
<b>E</b>	<b>MEAT HOOK 16 cm</b>	<b>0.069</b>	<b>6.0 MM</b>
<b>F</b>	<b>MEAT HOOK 18 cm</b>	<b>0.071</b>	<b>6.0 MM</b>
<b>G</b>	<b>MEAT HOOK 20 cm</b>	<b>0.175</b>	<b>9.0 MM</b>
<b>H</b>	<b>MEAT HOOK 22 cm</b>	<b>0.196</b>	<b>9.0 MM</b>








<b>SR # 68</b>	<b>BAR STAINER DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>BAR STAINER WITH PIPE</b>	<b>0.055</b>	<b>0.7 MM</b>
<b>B</b>	<b>BAR STAINER (FOUR PROUNG)</b>	<b>0.045</b>	<b>0.7 MM</b>



<b>SR # 69</b>	<b>JULIP STAINER DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>JULIP STAINER</b>	<b>0.062</b>	<b>0.7 MM</b>



<b>SR # 70</b>	<b>ADAPTOR BAR DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>ADAPTOR BAR 12"</b>	<b>0.099</b>	<b>0.9 MM</b>
<b>B</b>	<b>ADAPTOR BAR 20"</b>	<b>0.169</b>	<b>0.9 MM</b>
<b>C</b>	<b>ADAPTOR BAR WITH LOCK 12"</b>	<b>0.107</b>	<b>0.9 MM</b>
<b>D</b>	<b>ADAPTOR BAR WITH LOCK 20"</b>	<b>0.177</b>	<b>0.9 MM</b>



Shrinath Metal



SR #	MEASURING SPOON/CUP DESCRIPTION	WT/ PC	THICKNESS
A	MEASURING SPOON SET ( FOUR PIECES)	0.046	0.7 MM
B	MEASURING CUP SET ( FOUR PIECES)	0.144	0.7 MM
C	MEASURING CUP SET WITH WIRE ( FOUR PIECES)	0.231	0.7 MM



SR #	ICE SCOOP DESCRIPTION	WT/ PC	THICKNESS
A	ICE SCOOP	0.075	0.7 MM



SR #	CHIP SCOOP DESCRIPTION	WT/ PC	THICKNESS
A	CHIP SCOOP	0.100	0.7 MM



SR #	SNAIL PLATE DESCRIPTION	WT/ PC	THICKNESS
A	SNAIL PLATE	0.072	0.6 MM





SR # 75

**BAR SPOON**

**DESCRIPTION**

**WT/ PC**

**THICKNESS**

A

BAR SPOON 11"

0.047

2.0 MM



SR # 76

**OPENER**

**DESCRIPTION**

**WT/ PC**

**THICKNESS**

A

CAN PUNCH

0.024

2.0 MM

B

GIANT CAN PUNCH/ BOTTLE OPENER

0.094

2.0 MM

C

FLAT BOTTLE OPENER

0.086

2.0 MM

D

BOTTLE OPENER / WALL MOUNTED

0.043

1.2 MM

E

"Y" BOTTLE OPENER

0.037

2.0 MM

F

"Y" BOTTLE OPENER WITH PVC

0.043

2.0 MM



SR # 77

**LEMON SQUEEZER**

**DESCRIPTION**

**WT/ PC**

**THICKNESS**

A

LEMON SQUEEZER

0.040

0.7 MM

B

LEMON SQUEEZER (18/8)

0.080

0.7 MM





**SR # 78**

**TRAY**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>GLASS TRAY 10.5 CM</b>	<b>0.045</b>	<b>0.7 MM</b>
<b>B</b>	<b>BOTTLE TRAY</b>	<b>0.076</b>	<b>0.7 MM</b>



**SR # 79**

**CAKE RING**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>CAKE RING 9"</b>	<b>0.392</b>	<b>1.5 MM</b>



**SR # 80**

**LOBSTER PICK**

	<b>DESCRIPTION</b>	<b>WT/PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>LOBSTER PICK-STANDARD</b>	<b>0.033</b>	<b>2.0 MM</b>
<b>B</b>	<b>LOBSTER PICK-DELUXE</b>	<b>0.033</b>	<b>2.0 MM</b>



**SR # 81**

**METAL POURER**

	<b>DESCRIPTION</b>	<b>WT/PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>METAL POURER</b>	<b>0.013</b>	<b>0.5 MM</b>





SR # 82	STIRRING PADDLE		
	DESCRIPTION	WT/ PC	THICKNESS
A	STIRRING PADDLE 24"	0.520	1" DIA 0.9 MMTH 1.5 MM BLADE
B	STIRRING PADDLE 30"	0.660	"
C	STIRRING PADDLE 36"	0.700	"
D	STIRRING PADDLE WITH HOLE 40"	0.740	"
E	STIRRING PADDLE 42"	0.780	"
F	STIRRING PADDLE 48"	0.920	"
G	STIRRING PADDLE WITH HOLE 50"	0.940	"
H	STIRRING PADDLE 54"	1.000	"
I	STIRRING PADDLE 60"	1.060	"



SR # 83	PIZZA PEEL		
	DESCRIPTION	WT/ PC	THICKNESS
A	PIZZA PEEL 20cm dia, HDL 150 CM	0.850	CIRCLE TH 0.9 MM PIPE DIA 0.75" PIPE TH 0.9 MM
B	PIZZA PEEL 30cm dia, HDL 150 CM	1.170	"
C	PIZZA PEEL 20cm dia, HDL 60 CM	0.480	"
D	PIZZA PEEL 30CM dia, HDL 80 cm	0.871	"



SR # 84	KETTLE WHISK		
	DESCRIPTION	WT/ PC	THICKNESS
A	KETTLE WHISK 80 CM	1.160	4.0 MM (WIRE) PIPE DIA 1.25" PIPE TH 1.0 MM
B	KETTLE WHISK 100 CM	1.320	"
C	KETTLE WHISK 120 CM	1.560	"
D	KETTLE WHISK 150 CM	1.840	"





**SR # 85 CUTLERY CYLINDER HOLDER**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>CUTLERY HOLDER 3-IN-A- ROW</b>	<b>1.390</b>	<b>0.8 MM</b>
<b>B</b>	<b>CUTLERY HOLDER 4-IN-A- ROW</b>	<b>1.570</b>	<b>0.8 MM</b>
<b>C</b>	<b>CUTLERY HOLDER 4 HOLES</b>	<b>1.430</b>	<b>0.8 MM</b>
<b>D</b>	<b>CUTLERY HOLDER 6 HOLES</b>	<b>1.750</b>	<b>0.8 MM</b>
<b>E</b>	<b>CUTLERY HOLDER 8 HOLES</b>	<b>2.400</b>	<b>0.8 MM</b>



**SR # 86 CONDIMENT DISPENSER**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNESS</b>
<b>A</b>	<b>CONDIMENT DISPENSER 4 COMP</b>		<b>0.65 MM</b>
<b>B</b>	<b>CONDIMENT DISPENSER 5 COMP</b>		<b>0.65 MM</b>
<b>C</b>	<b>CONDIMENT DISPENSER 6 COMP</b>		<b>0.65 MM</b>



**SR # 87 BOTTLE CAP CATCHER**

	<b>DESCRIPTION</b>	<b>WT/ PC</b>	<b>THICKNES</b>
<b>A</b>	<b>BOTTLE CAP CATCHER</b>	<b>0.770</b>	<b>0.8 MM</b>





**SR # 88**

***SPEED RACK***

***DESCRIPTION***

***WT/ PC***

***THICKNESS***

<b><i>A</i></b>	<b><i>SPEED RACK 5 BOTTLE, 22"</i></b>	<b><i>1.300</i></b>	<b><i>0.8 MM</i></b>
<b><i>B</i></b>	<b><i>SPEED RACK 8 BOTTLE, 32"</i></b>	<b><i>1.900</i></b>	<b><i>0.8 MM</i></b>
<b><i>C</i></b>	<b><i>SPEED RACK 10 BOTTLE, 42"</i></b>	<b><i>2.300</i></b>	<b><i>0.8 MM</i></b>



**SR # 89**

***ICE CREAM CONE HOLDER***

***DESCRIPTION***

***WT/ PC***

***THICKNESS***

<b><i>A</i></b>	<b><i>ICE CREAM CONE HOLDER 3 HOLES</i></b>	<b><i>0.278</i></b>	<b><i>0.8 MM</i></b>
<b><i>B</i></b>	<b><i>ICE CREAM CONE HOLDER 4 HOLES</i></b>	<b><i>0.412</i></b>	<b><i>0.8 MM</i></b>
<b><i>C</i></b>	<b><i>ICE CREAM CONE HOLDER 6 HOLES</i></b>	<b><i>0.546</i></b>	<b><i>0.8 MM</i></b>



**SR # 90**

***PASTA RACK***

***DESCRIPTION***

***WT/PC***

***SIZE***

<b><i>A</i></b>	<b><i>PASTA RACK</i></b>	<b><i>0.970</i></b>	<b><i>230 MM</i></b>
-----------------	--------------------------	---------------------	----------------------



*Shrinath Metal*



SR # 91

*MESH SKIMMER*

	<i>DESCRIPTION</i>	<i>WT/ PC</i>	<i>THICKNESS</i>
<i>A</i>	<i>ONE PC SKIMMER 11 CM</i>	<i>0.107</i>	<i>1.0 MM</i>
<i>B</i>	<i>ONE PC SKIMMER 14 CM</i>	<i>0.173</i>	<i>1.0 MM</i>
<i>C</i>	<i>ONE PC SKIMMER 18 CM</i>	<i>0.230</i>	<i>1.0 MM</i>



*Shrinath Metal*







**DISCLAIMER**

*Illustrations in this catalogue are the guidelines only. Manufacturing changes may result in product variations. All dimensions are nominal and may vary due to a change in source or manufacturing*

*Any merchandise in this catalogue may be discontinued without notice.*

*Shrinath Metal reserves the right to change product specifications without prior notice and will not be held responsible for any errors or omissions.*

NOTE:  
WEIGHT IN GMS.

*Shrinath Metal*





# REFERENCE NO.

<u>DESCRIPTION</u>	<u>PAGE NO</u>
ADAPTOR BAR	25
BAR SPOON	27
BAR STAINER	25
BASTING SPOON HEAVY	18
BASTING SPOON LIGHT	18
BOTTLE CAP CATCHER	30
CAKE RING	28
CARD HOLDER	15
CHIP SCOOP	26
COLOUR CODED LADDLE	22
COLOUR CODED TONG	4
CONDIMENT DISPENSER	30
CUTLERY CILENDER	30
DELUXE SCISSOR TONG	6
DOOR SIGN/TABLE SIGN	13
ECONOMY ONE PC LADDLE	20
EGG CUP	23
EGG CUP(TRIANGLE/ROUND)	23
EGG RING	23
FISH LIFTER	17
FLAT TABLE NUMBER	13
FRENCH WHISK 12 WIRE	11
FRENCH WHISK 8 WIRE	10
GRAVY BOAT	16
GRILL TONG	7
ICE CREAM CONE HOLDER	31
ICE CREAM SPADE	16
ICE SCOOP	26
ICE TONG	8
JULIP STAINER	25
JUMBO ONE PC TONG	4
KETTLE WHIPS	29
LEMON SQUEZZER	27
LOBSTER PICK	28
LONG HANDLE WHISK	11
MEASURING SPOON/CUP	26
MEAT HOOK	24
MENU CARD WITH STAND	14
MENU CLIP	15
MESH SKIMMER	32
METAL POURER	28

Shrinath Metal





<u>DESCRIPTION</u>	<u>PAGE NO</u>
NAPKIN DISPENSER	16
NAPKIN RING	17
OLIVE CHERY TONG	8
ONE PC TONG	2
OPENER	27
OVAL BOWL LADDLE	20
OVAL TONG	7
PASTA RACK	31
PASTRY TONG	5
PIANO WHISK 12 WIRE	11
PIANO WHISK 8 WIRE	10
PIZZA PEEL	29
PLASTIC HANDLE BASTING SPOON	19
POM TONG	4
PORTION CONTROLLER	22
POT HOOK	24
POTATO MASHER	12
PROFIE SERIE TONG	7
ROASTING TONG	8
RUBBER GRIP TONG	3
SALAD TONG	5
SCISSOR TONG	6
SHORT HANDLE ONE PC LADDLE	20
SHORT HANDLE TWO PC LADDLE	21
SKEWER	24
SKIMMER	17
SNAIL PLATE	26
SPAGHETI TONG	5
SPATULA	14
SPEED RACK	31
SPIRAL SKIMMER	12
SPIRAL TONG	6
STEAK TONG	8
STIRRING PADDLE	29
STRAW HOLDER	15
TABLE CLOTH CLIP	17
TABLE NUMBER "A" FRAME	13
TONIC STAMPER	14
TRAY	28
TRIPLE EDGE BASTING SPOON	19
TURNER	19
TWO PC LADDLE	21
UTILITY TONG	2
WALL SIGN	13
WIRE GLASS HANGER	9
WIRE GLASS RACK	9
WIRE SKIMMER	12
WIRE TONG	9
WIRE TONG WITH PVC SLIVES	9
WIRE TYPE MENU CLIP	15

Shrinath Metal

